

Environmental Protection Coatings



The object of this program is to develop coatings for hot-section components of advanced, high-efficiency microturbines and industrial turbines that resist degradation (surface recession) in high-temperature, high-pressure water-vapor environments.

Coating Requirements


- Environmentally stable in the presence of O₂ and H₂O
- Low volatility
- Strong, adherent, and durable
- Matching coefficient of thermal expansion
- Thin and controllable to retain aerodynamics
- Low cost

Dip (Slurry) Coating Processes for Complex Shapes

- The dip-coating process can be varied to suit a wide range of ceramics (e.g., mullite, BSAS, zirconia, silicates, and aluminates).
 1. A ceramic powder is mixed with an aqueous or a nonaqueous solvent to form a slurry.
 2. The component is dipped in the slurry.
 3. The coated component is dried and heat-treated to densify the coating.
- Coating quality depends on the rheology and wetting behavior of the slurry.
- The process can be used to patch damaged coatings (e.g., thermal barrier coatings).




PEI coats negatively charged particles to reduce net interparticle attraction.



Shear-thinning flow behavior is reduced with increasing PEI addition until Newtonian flow behavior is observed at [PEI]_{crit}.

Coatings formed by dipping substrates into mullite slurries (45 vol %) of varying PEI concentrations, [PEI]/[PEI]_{crit}




Mullite coating on a silicon carbide substrate

Green coating, from 25 vol % mullite suspension



Sintered in air, 1400°C



- Ceramics, Ceramic Composites, and Coatings for Use in Turbine Hot Sections Are Being Evaluated in Simulated Environments.

Contact: B. L. Armstrong, (armstrongbl@ornl.gov), Phone (865) 241-5862
 Oak Ridge National Laboratory, Oak Ridge, TN 37831-6063
 poster website: http://www.ornl.gov/sci/de_materials/



OAK RIDGE NATIONAL LABORATORY

MANAGED BY UT-BATTELLE FOR THE DEPARTMENT OF ENERGY

<http://www.eere.energy.gov/de/>



Office of Distributed Energy