CENTRAL RESEARCH LIBRARY
DOCUMENT COLLECTION

MARTIN MARIETTA ENERGY SYSTEMS LIBRARIES

3 4456 0353214 9

ORNL 1489
Chemistry

ELECTROMAGNETICALLY ENRICHED ISOTOPES

Inventory, January 31, 1953

OAK RIDGE NATIONAL LABORATORY
CENTRAL RESEARCH LIBRARY
CIRCULATION SECTION
4500N ROOM 175
LIBRARY LOAN COPY
DO NOT TRANSFER TO ANOTHER PERSON
If you wish someone else to see this report, send in name with report and the library will arrange a loan.
UCN-7969 (3 5-77)

OAK RIDGE NATIONAL LABORATORY
OPERATED BY
CARBIDE AND CARBON CHEMICALS COMPANY
A DIVISION OF UNION CARBIDE AND CARBON CORPORATION
UCC
POST OFFICE BOX P
OAK RIDGE, TENNESSEE

UNCLASSIFIED

ORNL-1489

This document consists of 41 pages.

Copy 4 of 292 copies. Series A.

ELECTROMAGNETICALLY ENRICHED ISOTOPES

Inventory, January 31, 1953

C. P. Keim
C. E. Normand
Boyd Weaver

Date Issued

FEB 20 1953

ISOTOPE RESEARCH AND PRODUCTION DIVISION
C. P. Keim, Director

OAK RIDGE NATIONAL LABORATORY

Operated by

CARBIDE AND CARBON CHEMICALS COMPANY
A DIVISION OF UNION CARBIDE AND CARBON CORPORATION
Oak Ridge, Tennessee

Contract No. W-7405-eng-26

UNCLASSIFIED

MARTIN MARIETTA ENERGY SYSTEMS LIBRARIES

3 4456 0353214 9

ORNL-1489
Chemistry

INTERNAL DISTRIBUTION

1. C. E. Center
2. Biology Library
3. Health Physics Library
4-5. Central Research Library
6. Reactor Experimental Engineering Library
7-12. Central Files
13. C. E. Larson
14. W. B. Humes (K-25)
15. L. B. Emlet (Y-12)
16. A. M. Weinberg
17. E. H. Taylor
18. E. D. Shipley
19. R. C. Briant
20. F. C. VonderLage
21. J. A. Swartout
22. S. C. Lind
23. F. L. Steahly
24. A. H. Snell
25. A. Hollaender
26. M. T. Kelley
27. G. H. Clewett
28. K. Z. Morgan
29. J. S. Felton
30. A. S. Householder
31. C. S. Harrill
32. C. E. Winters
33. D. W. Cardwell
34. E. M. King
35. A. J. Miller
36. D. D. Cowen
37. C. P. Keim
38. C. E. Normand
39. Boyd Weaver
40. M. J. Skinner

EXTERNAL DISTRIBUTION

41-292. Given distribution as shown in TID-4500 under Chemistry Category.

ABSTRACT

This inventory lists the isotopes which have been concentrated electromagnetically, along with the completed information on their enriched abundances, and the element weights and product forms available in milligram quantities to users on Atomic Energy Commission projects and in university and industrial laboratories.

UNCLASSIFIED

TABLE OF CONTENTS

	Page No.
Introduction	5-6
Summary of Production and Shipments	7

Stable Isotopes:

Element	Page No.
Antimony	8
Barium	8-9
Boron	9
Bromine	9
Cadmium	9-10
Calcium	10-11
Carbon	11
Cerium	11-12
Chlorine	12
Chromium	12-13
Copper	13
Gallium	13
Germanium	14
Hafnium	14
Indium	14-15
Iron	15-18
Lanthanum	18
Lead	18-19
Lithium	19-20
Magnesium	20
Mercury	21-22
Molybdenum	22-23
Neodymium	24
Nickel	24-25
Potassium	25-26
Rhenium	26
Rubidium	27
Samarium	27
Selenium	27-29
Silicon	29-30
Silver	30
Strontium	30-31
Sulfur	31
Tellurium	32-33
Thallium	33-34
Tin	34-37
Titanium	37-38
Tungsten	38-39
Vanadium	39
Zinc	39
Zirconium	40-41

UNCLASSIFIED

INTRODUCTION

This report of electromagnetically enriched isotopes is revised frequently to include all isotopes which are available for use, or are in the process of chemical refinement. The most recent information on the isotopic abundance of each enriched sample and the amount of each isotope in the inventory is also listed. The list also includes those isotopes which have been concentrated but are not available at present.

All weights reported are element weights converted from compound weights by standard gravimetric factors.

On all shipments material will be shipped in the product form shown unless special arrangements are made for further chemical processing.

Isotopic abundance data not in this report, such as concentrations of other isotopes in the sample, will be submitted upon request. Spectrographic analyses and complete isotopic abundance data will be forwarded with all shipments or as soon as available.

Any users of isotopes who need mass analysis services should check with the Isotopes Division of the A. E. C. regarding their specific needs.

Isotopes produced by the electromagnetic process are available in milligram quantities for distribution on loan within and outside of the Atomic Energy Commission and may be requested by using A. E. C. form 100. Copies of this form may be obtained from the Isotopes Division, U. S. Atomic Energy Commission, P. O. Box "E", Oak Ridge, Tennessee.

Users of Stable Isotopes who need extensions of their loan periods should write The Isotopes Division, Atomic Energy Commission, Oak Ridge, Tennessee.

All purchase orders are to be sent to Dr. C. P. Keim, Oak Ridge National Laboratory, Y-12 Area, Oak Ridge, Tennessee.

SUMMARY OF PRODUCTION AND SHIPMENTS

Atomic No.	Element	Production Completed	No. of Samples Now Available For Shipment	No. of Individual Shipments and Transfers Made
51	Antimony	4	4	24
56	Barium	19	16	27
4	Beryllium	2	0	2
5	Boron	5	5	2
35	Bromine	2	2	3
48	Cadmium	19	16	73
20	Calcium	39	20	50
6	Carbon	3	2	3
58	Cerium	14	12	32
17	Chlorine	7	6	6
24	Chromium	14	9	66
29	Copper	13	11	24
31	Gallium	2	2	12
32	Germanium	11	10	35
72	Hafnium	6	6	30
49	Indium	12	9	22
26	Iron	79	60	72
57	Lanthanum	2	2	4
82	Lead	29	25	61
3	Lithium	24	9	95
12	Magnesium	17	14	42
80	Mercury	40	37	83
42	Molybdenum	31	26	83
60	Neodymium	7	8	54
28	Nickel	26	14	64
8	Oxygen	2	0	0
19	Potassium	31	23	50
75	Rhenium	2	2	14
37	Rubidium	2	2	4
62	Samarium	14	13	68
34	Selenium	47	43	61
14	Silicon	9	7	22
47	Silver	8	8	18
38	Strontium	14	9	31
16	Sulfur	9	6	16
52	Tellurium	42	34	84
81	Thallium	16	12	28
50	Tin	58	50	119
22	Titanium	14	10	60
74	Tungsten	18	17	50
23	Vanadium	3	3	6
30	Zinc	16	10	53
40	Zirconium	27	22	67
	TOTAL	760	596	1,720

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Antimony						
Sb 121	57.25	99.4	AE	93(a)	0	
Sb 121	57.25	99.4	AE	93(ar)	556	Sb
Sb 121	57.25	97.7	BT	274(a)	50	Sb
Sb 123	42.75	96.7	AE	94(a)	0	
Sb 123	42.75	96.7	AE	94(ar)	573	Sb
Sb 123	42.75	95.6	BT	275(a)	377	Sb
Barium						
Ba 130	0.103	27.50	FT	720(a)	35	$BaCO_3$
Ba 130	0.103	23.31	FU	727(a)	85	$BaCO_3$
Ba 132	0.096	6.69	FT	721(a)	792	$BaCO_3$
Ba 132	0.096	12.01	FU	728(a)	275	$BaCO_3$
Ba 134	2.39	51.39	DG	431(a)	0	
Ba 134	2.39	*	FT	722(a)	4,985	$BaCO_3$
Ba 134	2.39	*	FU	729(a)	1,963	$BaCO_3$
Ba 135	6.55	67.32	DG	432(a)	751	$BaCO_3$
Ba 135	6.55	*	FU	730(a)	5,308	$BaCO_3$
Ba 136	7.79	50.02	DG	433(a)	183	$BaCO_3$
Ba 136	7.79	*	FT	724(a)	5,015	$BaCO_3$
Ba 136	7.79	*	FU	731(a)	7,746	$BaCO_3$
Ba 137	11.25	38.98	DG	434(a)	1,116	$BaCO_3$
Ba 137	11.25	*	FU	732(a)	10,656	$BaCO_3$
Ba 138	71.83	98.04	DG	435(a)	1,380	$BaCO_3$

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Barium (Cont'd)						
Ba 138	71.83	*	FT	726(a)	37,214	$BaCO_3$
Ba 138	71.83	*	FU	733(a)	34,824	$BaCO_3$
Boron						
B 10	19.57	86.78	DP	481(a)	40	H_3BO_3
B 10	19.57	*	FV	734(a)	2,179	H_3BO_3
B 11	80.43	*	BM	250(a)	10	H_3BO_3
B 11	80.43	*	DP	482(a)	200	H_3BO_3
B 11	80.43	*	FV	735(a)	2,000	H_3BO_3
Bromine						
Br 79	50.57	86.96	EJ	552(a)	291	AgBr
Br 81	49.43	96.81	EJ	553(a)	268	AgBr
Cadmium						
Cd 106	1.22	19.94	AC	88(a)	44	CdO
Cd 106	1.22	32.9	CD	314(a)	0	
Cd 108	0.89	14.2	AX	170(a)	98	CdO
Cd 108	0.89	24.8	CD	315(a)	16	CdO
Cd 110	12.43	55.8	AX	171(a)	2,027	CdO
Cd 110	12.43	70.0	CE	316(a)	1,918	CdO
Cd 111	12.86	53.3	AC	89(a)	295	CdO
Cd 111	12.86	64.5	CE	317(a)	2,941	CdO

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Cadmium (Cont'd)						
Cd 112	23.79	79.3	AX	172(a)	1,890	CdO
Cd 112	23.79	83.5	CE	318(a)	3,414	CdO
Cd 113	12.34	25.5	AB	86(a)	376	CdO
Cd 113	12.34	54.1	CE	319(a)	1,818	CdO
Cd 114	28.81	79.52	AC	90(a)	772	CdO
Cd 114	28.81	94.2	CE	320(a)	2,767	CdO
Cd 114	28.81	94.2	CE	320(ar)	316	CdO
Cd 116	7.66	71.2	CE	321(a)	31	CdO
Cd 116	7.66	71.2	CE	321(ar)	10	CdO
Calcium						
Ca 40	96.96	98.6	V	61(b)	114	CaO
Ca 40	96.96	99.97	X	70(a)	1,048	CaO
Ca 40	96.96	98.9	BN	251(a)	5,825	$CaCO_3$
Ca 40	96.96	99.83	DI	441(d)	35,259	$CaCO_3$
Ca 40	96.96	99.98	EV	613(a)	28,733	$CaCO_3$
Ca 40	96.96	99.98	FF	648(a)	44,756	$CaCO_3$
Ca 40	96.96	**	FO	689(a)		
Ca 42	0.64	28.3	DI	442(b)	393	$CaCO_3$
Ca 42	0.64	82.52	EV	614(a)	218	$CaCO_3$
Ca 42	0.64	64.17	FF	649(a)	455	$CaCO_3$
Ca 42	0.64	**	FO	690(a)		
Ca 43	0.145	37.56	DI	443(b)	43	$CaCO_3$

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Calcium (Cont'd)						
Ca 43	0.145	72.13	EV	615(a)	15	$CaCO_3$
Ca 43	0.145	68.04	FF	650(a)	0	
Ca 43	0.145	67.95	FO	691(a)	295	$CaCO_3$
Ca 44	2.06	85.4	BN	254(a)	40	$CaCO_3$
Ca 44	2.06	96.2	CS	373(a)	85	$CaCO_3$
Ca 44	2.06	91.9	DI	444(a)	134	$CaCO_3$
Ca 44	2.06	97.90	EV	616(a)	739	$CaCO_3$
Ca 44	2.06	97.99	FF	651(a)	659	$CaCO_3$
Ca 44	2.06	**	FO	692(a)		
Ca 46	0.0033	10.16	FF	652(a)	0	
Ca 46	0.0033	9.55	FO	693(a)	13	$CaCO_3$
Ca 48	0.185	84.28	FO	694(a)	32	$CaCO_3$
Ca 48	0.185	7.49	FF	653(a)	10	$CaCO_3$
Carbon						
C 12	98.91	99.96	FD	638(ah)	1,140	C
C 12	98.91	99.94	FD	638(aj)	9,950	C
Cerium						
Ce 136	0.195	29.97	FR	706(a)	249	CeO_2
Ce 138	0.265	4.42	DW	502(a)	290	CeO_2
Ce 138	0.265	10.22	FK	676(a)	195	CeO_2
Ce 138	0.265	13.10	FR	707(a)	657	CeO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Cerium (Cont'd)						
Ce 140	88.44	98.5	CW	389(a)	3,786	CeO_2
Ce 140	88.44	98.7	DD	417(a)	8,397	CeO_2
Ce 140	88.44	99.55	FK	677(a)	6,263	CeO_2
Ce 140	88.44	99.65	FR	708(a)	22,478	CeO_2
Ce 142	11.10	87.4	DD	418(b)	29	CeO_2
Ce 142	11.10	84.42	DW	504(a)	1,330	CeO_2
Ce 142	11.10	88.84	FK	678(a)	926	CeO_2
Ce 142	11.10	90.08	FR	709(a)	5,863	CeO_2
Chlorine						
Cl 35	75.4	79.5	AV	161(cl)	18	AgCl
Cl 35	75.4	92.4	DH	436(a)	0	AgCl
Cl 35	75.4	*	FW	736(a)	17,603	NaCl
Cl 35	75.4	*	FW	736(b)	8,824	NaCl
Cl 37	24.6	65.6	DH	438(a)	97	AgCl
Cl 37	24.6	*	FW	737(a)	5,672	NaCl
Cl 37	24.6	*	FW	737(b)	4,777	NaCl
Chromium						
Cr 50	4.40	88.3	EU	609(a)	393	Cr_2O_3
Cr 52	83.73	99.14	D	11(a)	510	Cr_2O_3
Cr 52	83.73	99.14	D	11(ar)	140	Cr_2O_3
Cr 52	83.73	99.1	CD	310(a)	3,057	Cr_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Chromium (Cont'd)						
Cr 52	83.73	97.1	EU	610(a)	23,140	Cr_2O_3
Cr 53	9.49	88.59	D	12(a)	56	Cr_2O_3
Cr 53	9.49	92.1	CD	311(a)	14	Cr_2O_3
Cr 53	9.49	90.06	EU	611(a)	6	Cr_2O_3
Cr 54	2.38	88.95	EU	612(a)	0	
Copper						
Cu 63	69.09	97.0	A	1(a)	650	CuO
Cu 63	69.09	97.0	A	1(ar)	960	CuO
Cu 63	69.09	99.35	J-K	31-37(a)	730	CuO
Cu 63	69.09	98.2	AV	161(cu)	203	CuO
Cu 63	69.09	99.11	DF	426(a)	3,351	CuO
Cu 63	69.09	96.12	DL	455(a)	578	CuO
Cu 63	69.09	99.40	DU	497(a)	13,146	CuO
Cu 63	69.09	*	FJ	673(a)	9,426	CuO
Cu 65	30.91	93.81	A	2(ar)	461	CuO
Cu 65	30.91	90.6	AV	162(cu)	14	CuO
Cu 65	30.91	98.16	DU	498(a)	11,265	CuO
Gallium						
Ga 69	60.00	98.42	EI	554(a)	11,807	Ga_2O_3
Ga 71	40.00	98.08	EI	555(a)	2,211	Ga_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Germanium						
Ge 70	20.63	88.1	BD-BE	205-210(a)	29	GeO_2
Ge 70	20.63	91.38	FZ	747(a)	10,715	GeO_2
Ge 72	27.41	89.2	BD-BE	206-211(a)	860	GeO_2
Ge 72	27.41	94.86	FZ	748(a)	15,537	GeO_2
Ge 73	7.84	68.9	BD-BE	207-212(a)	86	GeO_2
Ge 73	7.84	78.04	FZ	749(a)	3,654	GeO_2
Ge 74	36.37	95.2	BD-BE	208-213(a)	1,360	GeO_2
Ge 74	36.37	95.80	FZ	750(a)	17,640	GeO_2
Ge 76	7.75	79.3	BD-BE	209-214(a)	122	GeO_2
Ge 76	7.75	81.02	FZ	751(a)	4,897	GeO_2
Hafnium						
Hf 174	0.17	7.85	ET	602(a)	53	HfO_2
Hf 176	5.22	48.46	ET	603(a)	98	HfO_2
Hf 177	18.53	61.71	ET	604(a)	788	HfO_2
Hf 178	27.25	80.91	ET	605(a)	1,448	HfO_2
Hf 179	13.67	46.57	ET	606(a)	578	HfO_2
Hf 180	35.16	93.96	ET	607(a)	1,351	HfO_2
Indium						
In 113	4.22	16.8	CO	354(a)	415	In_2O_3
In 113	4.22	65.4	CQ	358(a)	0	
In 113	4.22	14.2	DE	419(a)	1,735	In_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Indium (Cont'd)						
In 113	4.22	59.58	ER	594(a)	727	In_2O_3
In 115	95.78	99.56	AD	92(a)	964	In_2O_3
In 115	95.78	99.6	BH	226(a)	856	In_2O_3
In 115	95.78	99.6	BH	226(ar)	470	In_2O_3
In 115	95.78	99.9	CO	355(a)	14,563	In_2O_3
In 115	95.78	99.94	ER	595(a)	31,900	In_2O_3
In 115	95.78	99.94	ER	595(ar)	11,000	In_2O_3
Iron						
Fe 54	5.90	55.47	V	3(a)	57	Fe_2O_3
Fe 54	5.90	39.0	B	3(f)	268	Fe_2O_3
Fe 54	5.90	81.06	E	14(a)	17	Fe_2O_3
Fe 54	5.90	83.03	F	18(a)	32	Fe_2O_3
Fe 54	5.90	49.2	AM	122(a)	343	Fe_2O_3
Fe 54	5.90	93.27	AZ	183(a)	16	Fe_2O_3
Fe 54	5.90	87.9	BA	187(a)	10	Fe_2O_3
Fe 54	5.90	87.4	BB	194(a)	69	Fe_2O_3
Fe 54	5.90	84.3	CI	328(a)	41	Fe_2O_3
Fe 54	5.90	34.47	DO	477(a)	67,252	Fe_2O_3
Fe 54	5.90	93.06	FC	634(a)	540	Fe_2O_3
Fe 54	5.90	**	FN	685(a)		
Fe 54	5.90	**	FN	685(b)		
Fe 56	91.52	98.41	B	4(a)	3,235	Fe_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 56	91.52	98.5	B	4(e)	901	Fe_2O_3
Fe 56	91.52	98.62	E	15(a)	10,403	Fe_2O_3
Fe 56	91.52	97.42	F	19(a)	1,120	Fe_2O_3
Fe 56	91.52	98.9	AM	123(a)	2,627	Fe_2O_3
Fe 56	91.52	99.0	AZ	184(a)	12,451	Fe_2O_3
Fe 56	91.52	98.5	BA	188(a)	35,471	Fe_2O_3
Fe 56	91.52	98.3	BB	192(a)	9,818	Fe_2O_3
Fe 56	91.52	96.5	CI	329(a)	51,056	Fe_2O_3
Fe 56	91.52	99.84	CZ	404(f)	10,690	Fe_2O_3
Fe 56	91.52	99.70	DO	478(a)	242,643	Fe_2O_3
Fe 56	91.52	99.70	DO	478(ar)	76,218	Fe_2O_3
Fe 56	91.52	99.70	DO	478(as)	27,594	Fe
Fe 56	91.52	*	FC	635(a)	18,171	Fe_2O_3
Fe 56	91.52	*	FN	686(a)	304,226	Fe_2O_3
Fe 56	91.52	**	FN	686(b)		
Fe 57	2.24	21.10	B	5(a)	62	Fe_2O_3
Fe 57	2.24	30.5	B	5(f)	81	Fe_2O_3
Fe 57	2.24	69.63	F	20(a)	15	Fe_2O_3
Fe 57	2.24	33.2	AM	124(a)	69	Fe_2O_3
Fe 57	2.24	77.6	BB	193(a)	24	Fe_2O_3
Fe 57	2.24	51.91	CZ	405(f)	509	Fe_2O_3
Fe 57	2.24	79.43	DK	449(a)	232	Fe_2O_3
Fe 57	2.24	62.38	DL	453(a)	830	Fe_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 57	2.24	59.31	DL	453(d)	381	Fe_2O_3
Fe 57	2.24	31.9	DL	453(e)	1,245	Fe_2O_3
Fe 57	2.24	59.3	DL	453(f)	1,122	Fe_2O_3
Fe 57	2.24	43.45	DL	453(j)	2,571	Fe_2O_3
Fe 57	2.24	74.6	DM	459(a)	172	Fe_2O_3
Fe 57	2.24	40.61	DL	463(a)	1,687	Fe_2O_3
Fe 57	2.24	45.43	DL	463(b)	1,018	Fe_2O_3
Fe 57	2.24	67.3	DL	463(e)	278	Fe_2O_3
Fe 57	2.24	53.53	DL	463(j)	184	Fe_2O_3
Fe 57	2.24	54.23	DL	463(k)	1,766	Fe_2O_3
Fe 57	2.24	63.1	DL	467(c)	165	Fe_2O_3
Fe 57	2.24	87.29	DN	475(a)	0	
Fe 57	2.24	83.44	FC	636(a)	1,244	Fe_2O_3
Fe 57	2.24	**	FN	687(a)		
Fe 57	2.24	**	FN	687(b)		
Fe 58	0.34	22.0	C	8(b)	15	Fe_2O_3
Fe 58	0.34	10.3	AM	125(a)	44	Fe_2O_3
Fe 58	0.34	23.4	DL	454(f)	39	Fe_2O_3
Fe 58	0.34	71.7	DL	454(m)	92	Fe_2O_3
Fe 58	0.34	79.8	DL	464(1)	0	
Fe 58	0.34	75.7	DO	480(a)	117	Fe_2O_3
Fe 58	0.34	42.0	DO	480(b)	484	Fe_2O_3
Fe 58	0.34	34.8	DO	480(c)	37	Fe_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Iron (Cont'd)						
Fe 58	0.34	74.20	FN	688(b)	37	Fe_2O_3
Fe 58	0.34	59.65	FN	688(c)	104	Fe_2O_3
Fe 58	0.34	55.74	FN	688(d)	372	Fe_2O_3
Fe 58	0.34	57.31	FN	688(f)	197	Fe_2O_3
Fe 58	0.34	65.85	FN	688(g)	82	Fe_2O_3
Fe 58	0.34	78.66	FN	688(i)	82	Fe_2O_3
Fe 58	0.34	78.02	FN	688(j)	86	Fe_2O_3
Lanthanum						
La 138	0.087	0.597	EF	544(a)	850	La_2O_3
La 139	99.913	99.96	EF	545(a)	16,641	La_2O_3
Lead						
Pb 204	1.37	7.8	O	43(a)	87	$PbCrO_4$
Pb 204	1.37	16.69	AQ	135(ar)	38	$PbCrO_4$
Pb 204	1.37	23.4	BO	257(a)	13	$PbCrO_4$
Pb 204	1.37	27.0	CN	349(ar)	891	$PbSO_4$
Pb 204	1.37	25.70	EO	581(a)	673	PbO
Pb 204	1.37	5.30	FQ	702(a)	3,170	PbO
Pb 206	26.26	75.67	O	44(a)	278	$PbCrO_4$
Pb 206	26.26	77.9	AQ	136(a)	255	$PbCrO_4$
Pb 206	26.26	71.3	BO	258(a)	238	$PbCrO_4$
Pb 206	26.26	71.3	BO	258(ar)	1,018	$PbCrO_4$

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Lead (Cont'd)						
Pb 206	26.26	81.0	CN	350(a)	0	
Pb 206	26.26	64.93	EO	582(a)	3,156	PbO
Pb 206	26.26	35.02	FQ	703(a)	8,726	PbO
Pb 207	20.82	61.55	O	45(a)	181	$PbCrO_4$
Pb 207	20.82	48.2	AQ	137(a)	553	$PbCrO_4$
Pb 207	20.82	48.2	AQ	137(ar)	512	$PbCrO_4$
Pb 207	20.82	66.8	BO	259(a)	998	$PbCrO_4$
Pb 207	20.82	66.8	BO	259(ar)	529	$PbCrO_4$
Pb 207	20.82	61.06	EO	583(a)	4,609	PbO
Pb 207	20.82	26.81	FQ	704(a)	8,802	PbO
Pb 208	51.51	92.1	O	46(a)	33	$PbCrO_4$
Pb 208	51.51	92.1	O	46(ar)	160	$PbCrO_4$
Pb 208	51.51	82.10	AQ	138(a)	846	$PbCrO_4$
Pb 208	51.51	96.6	BO	260(a)	234	PbO
Pb 208	51.51	95.8	CN	352(ar)	166	$PbSO_4$
Pb 208	51.51	87.97	EO	584(a)	23,395	PbO
Pb 208	51.51	75.41	FQ	705(a)	9,090	PbO
Lithium						
Li 6	7.43	99.4	CT	376(a)	0	
Li 6	7.43	95.2	ED	537(a)	225	Li_2SO_4
Li 6	7.43	95.5	ED	537(b)	15	Li_2SO_4
Li 6	7.43	88.22	EZ	627(e)	12	Li_2SO_4

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Lithium (Cont'd)						
Li 6	7.43	94.07	FI	667(a)	25	Li_2SO_4
Li 7	92.57	99.91	I	26(a)	10	Li_2SO_4
Li 7	92.57	99.5	AR	140(a)	711	Li_2SO_4
Li 7	92.57	99.8	BQ	265(ar)	216	Li_2SO_4
Li 7	92.57	98.4	CU	379(a)	4,546	Li_2SO_4
Li 7	92.57	99.86	EZ	628(e)	5,565	Li_2SO_4
Magnesium						
Mg 24	78.98	99.5	P	47(a)	1,570	MgO
Mg 24	78.98	98.36	Q	50(a)	192	MgO
Mg 24	78.98	99.52	BZ	288(a)	2,527	MgO
Mg 24	78.98	99.2	BZ	288(b)	132	MgO
Mg 24	78.98	99.5	BZ	288(c)	2,251	MgO
Mg 24	78.98	99.4	BZ	288(d)	1,786	MgO
Mg 24	78.98	99.59	DZ	519(a)	1,804	MgO
Mg 25	10.03	62.59	Q	51(a)	20	MgO
Mg 25	10.03	65.67	Q	51(b)	14	MgO
Mg 25	10.03	86.8	BZ	289(a)	220	MgO
Mg 25	10.03	92.33	DZ	520(a)	1,470	MgO
Mg 26	10.99	96.16	P	49(a)	416	MgO
Mg 26	10.99	95.91	BZ	290(a)	213	MgO
Mg 26	10.99	98.12	DZ	521(a)	783	MgO

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form±
Mercury						
Hg 196	0.16	8.44	DR	485(a)	0	
Hg 196	0.16	1.46	DR	485(c)	347	$Hg(NO_3)_2$
Hg 198	10.02	79.11	DR	486(a)	78	$Hg(NO_3)_2$
Hg 198	10.02	66.11	DR	486(b)	375	$Hg(NO_3)_2$
Hg 198	10.02	53.37	DR	486(c)	853	$Hg(NO_3)_2$
Hg 198	10.02	54.35	DR	486(d)	2,930	$Hg(NO_3)_2$
Hg 199	16.90	73.09	DR	487(a)	45	$Hg(NO_3)_2$
Hg 199	16.90	72.1	DR	487(b)	28	$Hg(NO_3)_2$
Hg 199	16.90	65.45	DR	487(d)	43	$Hg(NO_3)_2$
Hg 199	16.90	62.51	DR	487(e)	0	
Hg 200	23.10	91.39	DR	488(a)	97	$Hg(NO_3)_2$
Hg 200	23.10	86.45	DR	488(b)	119	$Hg(NO_3)_2$
Hg 200	23.10	80.85	DR	488(c)	749	$Hg(NO_3)_2$
Hg 200	23.10	74.90	DR	488(d)	3,478	$Hg(NO_3)_2$
Hg 200	23.10	64.66	DR	488(e)	1,420	$Hg(NO_3)_2$
Hg 200	23.10	76.28	DR	488(f)	489	$Hg(NO_3)_2$
Hg 201	13.20	71.8	DR	489(a)	26	$Hg(NO_3)_2$
Hg 201	13.20	62.48	DR	489(b)	90	$Hg(NO_3)_2$
Hg 201	13.20	57.90	DR	489(c)	230	$Hg(NO_3)_2$
Hg 201	13.20	57.3	DR	489(d)	178	$Hg(NO_3)_2$
Hg 201	13.20	51.48	DR	489(e)	121	$Hg(NO_3)_2$
Hg 202	29.76	98.3	DR	490(a)	46	$Hg(NO_3)_2$
Hg 202	29.76	98.06	DR	490(b)	20	$Hg(NO_3)_2$

* - Analysis Incomplete
** - Refinement Incomplete
± - $Hg(NO_3)2$ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form ±
Mercury (Cont'd)						
Hg 202	29.76	97.33	DR	490(c)	55	$Hg(NO_3)_2$
Hg 202	29.76	96.45	DR	490(d)	122	$Hg(NO_3)_2$
Hg 202	29.76	95.13	DR	490(e)	329	$Hg(NO_3)_2$
Hg 202	29.76	91.46	DR	490(f)	25	$Hg(NO_3)_2$
Hg 202	29.76	91.46	DR	490(fs)	120	Hg
Hg 202	29.76	87.87	DR	490(g)	354	$Hg(NO_3)_2$
Hg 202	29.76	80.27	DR	490(h)	4,334	$Hg(NO_3)_2$
Hg 202	29.76	75.75	DR	490(i)	825	$Hg(NO_3)_2$
Hg 204	6.86	89.17	DR	491(a)	0	
Hg 204	6.86	77.61	DR	491(b)	189	$Hg(NO_3)_2$
Hg 204	6.86	62.78	DR	491(d)	129	$Hg(NO_3)_2$
Hg 204	6.86	49.66	DR	491(e)	344	$Hg(NO_3)_2$
Hg 204	6.86	49.66	DR	491(es)	147	Hg
Hg 204	6.86	42.91	DR	491(f)	662	$Hg(NO_3)_2$
Hg 204	6.86	30.07	DR	491(g)	363	$Hg(NO_3)_2$
Hg 204	6.86	72.34	DR	491(h)	93	$Hg(NO_3)_2$
Hg 204	6.86	72.34	DR	491(hs)	143	Hg
Molybdenum						
Mo 92	15.04	92.07	R-T	53(a)	48	MoO_3
Mo 92	15.04	95.5	AW	163(ar)	225	MoO_3
Mo 92	15.04	87.57	FP	695(a)	194	MoO_3
Mo 94	9.35	79.1	AW	164(a)	111	MoO_3

* - Analysis Incomplete
** - Refinement Incomplete
± - $Hg(NO_3)_2$ is in Aqueous Solution

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Molybdenum (Cont'd)						
Mo 94	9.35	*	FP	696(a)	128	MoO_3
Mo 95	15.78	80.75	R-T	55(a)	804	MoO_3
Mo 95	15.78	88.0	AW	165(a)	121	MoO_3
Mo 95	15.78	88.0	AW	165(ar)	182	MoO_3
Mo 95	15.78	*	FP	697(a)	156	MoO_3
Mo 95	15.78	91.27	FP	697(b)	105	MoO_3
Mo 96	16.56	85.94	R-T	56(a)	2,797	MoO_3
Mo 96	16.56	90.6	AW	166(a)	81	MoO_3
Mo 96	16.56	92.0	FP	698(a)	362	MoO_3
Mo 97	9.60	77.97	R-T	57(a)	474	MoO_3
Mo 97	9.60	77.97	R-T	57(ar)	284	MoO_3
Mo 97	9.60	75.4	AW	167(a)	510	MoO_3
Mo 97	9.60	*	FP	699(a)	74	MoO_3
Mo 97	9.60	89.63	FP	699(b)	119	MoO_3
Mo 98	24.00	95.0	R-T	58(a)	486	MoO_3
Mo 98	24.00	89.9	R-T	58(b)	393	MoO_3
Mo 98	24.00	96.3	AW	168(a)	487	MoO_3
Mo 98	24.00	*	FP	700(a)	536	MoO_3
Mo 100	9.67	90.20	R-T	59(b)	40	MoO_3
Mo 100	9.67	93.0	AW	169(a)	25	MoO_3
Mo 100	9.67	86.65	FP	701(a)	203	MoO_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Neodymium						
Nd 142	26.83	93.00	EQ	587(a)	70	Nd_2O_3
Nd 142	26.83	**	FX	738(a)		
Nd 143	12.10	83.93	EQ	588(a)	102	Nd_2O_3
Nd 143	12.10	**	FX	739(a)		
Nd 144	23.95	93.45	EQ	589(a)	91	Nd_2O_3
Nd 144	23.95	**	FX	740(a)		
Nd 145	8.36	78.60	EQ	590(a)	187	Nd_2O_3
Nd 145	8.36	78.60	EQ	590(ar)	87	Nd_2O_3
Nd 145	8.36	**	FX	741(a)		
Nd 146	17.29	95.60	EQ	591(a)	62	Nd_2O_3
Nd 146	17.29	**	FX	742(a)		
Nd 148	5.80	89.85	EQ	592(a)	0	
Nd 148	5.80	89.85	EQ	592(ar)	189	Nd_2O_3
Nd 148	5.80	**	FX	743(a)		
Nd 150	5.67	94.76	EQ	593(a)	0	
Nd 150	5.67	94.76	EQ	593(ar)	170	Nd_2O_3
Nd 150	5.67	**	FX	744(a)		
Nickel						
Ni 58	67.4	98.51	K	33(a)	12	NiO
Ni 58	67.4	99.3	AS-AT	141-147(a)	34	NiO
Ni 58	67.4	98.36	DF	422(a)	5,485	NiO
Ni 58	67.4	*	FJ	669(a)	36,817	NiO

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Nickel (Cont'd)						
Ni 60	26.7	94.4	J	28(a)	18	NiO
Ni 60	26.7	94.4	J	28(ar)	190	NiO
Ni 60	26.7	87.10	K	34(a)	680	NiO
Ni 60	26.7	97.7	AS-AT	142-148(a)	0	
Ni 60	26.7	*	FJ	670(a)	13,430	NiO
Ni 61	1.2	34.42	K	35(a)	28	NiO
Ni 61	1.2	80.9	AS-AT	143-149(a)	0	
Ni 61	1.2	*	FJ	671(a)	570	NiO
Ni 62	3.8	67.99	K	36(a)	50	NiO
Ni 62	3.8	94.7	AS-AT	144-150(a)	0	
Ni 62	3.8	*	DF	425(br)	30	Ni
Ni 62	3.8	*	FJ	672(a)	1,462	NiO
Ni 64	0.88	85.10	J	32(a)	10	NiO
Ni 64	0.88	97.4	AS-AT	146-152(a)	0	
Ni 64	0.88	*	FJ	674(a)	0	
Potassium						
K 39	93.25	99.5	BJ	237(a)	1,592	$KClO_4$
K 39	93.25	99.9	CM	346(a)	35	KCl
K 39	93.25	99.9	CM	346(ar)	9,920	KCl
K 39	93.25	99.94	DA	407(a)	19,428	K_2SO_4
K 39	93.25	99.74	DB	410(a)	5,659	KCl
K 39	93.25	99.89	DT	494(a)	9,384	KCl

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Potassium (Cont'd)						
K 39	93.25	99.96	EX	621(g)	18,470	KCl
K 39	93.25	99.94	EY	624(i)	24,977	KCl
K 39	93.25	99.83	FA	629(a)	10,473	KCl
K 40	0.011	1.31	DA	408(a)	10	KCl
K 40	0.011	0.40	DB	411(a)	150	KCl
K 40	0.011	0.40	DB	411(ar)	318	KCl
K 40	0.011	7.13	DT	495(a)	0	
K 40	0.011	3.64	EX	622(u)	7	KCl
K 40	0.011	7.75	EY	625(t)	10	K_2SO_4
K 40	0.011	0.978	FA	630(a)	33	KCl
K 41	6.74	92.9	BJ	239(a)	65	$KClO_4$
K 41	6.74	86.8	CM	348(a)	37	KCl
K 41	6.74	98.94	DT	496(a)	604	KCl
K 41	6.74	98.94	DT	496(ar)	65	KCl
K 41	6.74	99.20	EX	623(e)	69	KCl
K 41	6.74	99.21	EY	626(e)	750	KCl
K 41	6.74	99.21	EY	626(er)	988	KCl
K 41	6.74	87.75	FA	631(a)	540	KCl
Rhenium						
Re 185	37.31	85.38	CP	356(a)	2,491	Re
Re 187	62.69	98.22	CP	357(a)	395	Re

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Rubidium						
Rb 85	72.27	95.97	EW	619(a)	3,058	RbCl
Rb 87	27.73	89.62	EW	620(a)	2,025	RbCl
Samarium						
Sm 144	3.13	72.13	EM	567(a)	0	
Sm 144	3.13	58.93	FH	660(a)	14	Sm_2O_3
Sm 147	15.12	81.63	EM	569(a)	14	Sm_2O_3
Sm 147	15.12	78.35	FH	661(a)	496	Sm_2O_3
Sm 148	11.29	76.01	EM	570(a)	178	Sm_2O_3
Sm 148	11.29	62.40	FH	662(a)	649	Sm_2O_3
Sm 149	13.87	71.53	EM	571(a)	34	Sm_2O_3
Sm 149	13.87	73.01	FH	663(a)	423	Sm_2O_3
Sm 150	7.38	74.09	EM	572(a)	48	Sm_2O_3
Sm 150	7.38	68.04	FH	664(a)	907	Sm_2O_3
Sm 152	26.59	89.90	EM	573(a)	3,261	Sm_2O_3
Sm 152	26.59	93.92	FH	665(a)	138	Sm_2O_3
Sm 154	22.62	92.10	EM	574(a)	2,528	Sm_2O_3
Sm 154	22.62	96.05	FH	666(a)	430	Sm_2O_3
Selenium						
Se 74	0.84	6.5	AK	109(a)	10	Se
Se 74	0.84	12.3	CY	397(ar)	255	Se
Se 74	0.84	12.08	DY	513(a)	143	Se

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Selenium						
Se 74	0.84	18.02	FG	654(a)	90	Se
Se 74	0.84	33.06	FG	654(b)	0	
Se 76	9.15	43.5	AN	126(a)	10	Se
Se 76	9.15	41.5	BS	269(a)	600	Se
Se 76	9.15	54.8	CY	398(a)	542	Se
Se 76	9.15	54.8	CY	398(ar)	390	Se
Se 76	9.15	57.40	DY	514(a)	89	Se
Se 76	9.15	74.20	FG	655(a)	374	Se
Se 76	9.15	88.51	FG	655(b)	148	Se
Se 77	7.53	50.1	AK	110(a)	99	Se
Se 77	7.53	53.6	BS	270(a)	143	Se
Se 77	7.53	53.6	BS	270(ar)	500	Se
Se 77	7.53	49.4	CY	399(a)	107	Se
Se 77	7.53	58.40	DY	515(a)	302	Se
Se 77	7.53	74.22	FG	656(c)	203	Se
Se 77	7.53	83.16	FG	656(d)	10	Se
Se 77	7.53	86.58	FG	656(e)	10	Se
Se 77	7.53	91.73	FG	656(f)	25	Se
Se 77	7.53	86.00	FG	656(g)	8	Se
Se 78	23.62	79.3	AN	127(a)	68	Se
Se 78	23.62	79.3	AN	127(ar)	104	Se
Se 78	23.62	72.7	BS	271(a)	1,853	Se
Se 78	23.62	81.7	CY	400(a)	707	Se

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Selenium (Cont'd)						
Se 78	23.62	81.7	CY	400(ar)	1,026	Se
Se 78	23.62	82.56	DY	516(a)	69	Se
Se 78	23.62	90.24	FG	657(b)	376	Se
Se 78	23.62	96.55	FG	657(d)	145	Se
Se 80	49.97	86.7	AK	111(a)	281	Se
Se 80	49.97	94.6	BS	272(a)	1,520	Se
Se 80	49.97	94.6	BS	272(ar)	257	Se
Se 80	49.97	91.7	CY	401(a)	1,136	Se
Se 80	49.97	93.76	DY	517(a)	41	Se
Se 80	49.97	96.94	FG	658(a)	1,456	Se
Se 80	49.97	98.39	FG	658(b)	851	Se
Se 82	8.89	49.6	AN	128(a)	96	Se
Se 82	8.89	44.4	BS	273(ar)	1,087	Se
Se 82	8.89	51.6	CY	402(a)	314	Se
Se 82	8.89	51.6	CY	402(ar)	260	Se
Se 82	8.89	52.36	DY	518(a)	1,081	Se
Se 82	8.89	75.74	FG	659(a)	460	Se
Se 82	8.89	89.87	FG	659(b)	109	Se
Silicon						
Si 28	92.17	99.4	AI-AJ	103-106(a)	1,796	SiO_2
Si 28	92.17	98.1	BW	280(a)	7,510	SiO_2
Si 28	92.17	99.16	EB	524(a)	9,041	SiO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Silicon (Cont'd)						
Si 28	92.17	**	GC	761(a)		
Si 29	4.71	68.62	EB	525(a)	90	SiO_2
Si 29	4.71	**	GC	762(a)		
Si 30	3.12	63.9	AI-AJ	105-108(a)	100	SiO_2
Si 30	3.12	49.6	BW	282(a)	550	SiO_2
Si 30	3.12	64.04	EB	526(a)	48	SiO_2
Si 30	3.12	**	GC	763(a)		
Silver						
Ag 107	51.86	98.96	N	41(a)	39	AgCl
Ag 107	51.86	90.26	S-U	41(b)	115	AgCl
Ag 107	51.86	90.26	S-U	41(br)	2,143	Ag
Ag 107	51.86	96.10	EA	522(a)	1,630	AgCl
Ag 109	48.14	95.88	N	42(a)	31	AgCl
Ag 109	48.14	92.16	S-U	42(b)	22	AgCl
Ag 109	48.14	92.16	S-U	42(br)	1,644	Ag
Ag 109	48.14	99.54	EA	523(a)	1,736	AgCl
Strontium						
Sr 84	0.56	63.68	EH	548(a)	0	
Sr 84	0.56	45.95	FL	679(a)	195	$SrCO_3$
Sr 86	9.86	69.9	Z	78(ar)	290	SrO
Sr 86	9.86	89.02	EH	549(a)	23	$Sr(NO_3)_2$

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Strontium (Cont'd)						
Sr 86	9.86	83.44	FL	680(a)	1,380	$SrCO_3$
Sr 87	7.02	60.03	EH	550(a)	0	
Sr 87	7.02	42.82	FL	681(a)	1,460	$SrCO_3$
Sr 88	82.6	98.9	Z	79(a)	1,049	SrO
Sr 88	82.6	99.5	BL	248(a)	322	$SrSO_4$
Sr 88	82.6	99.67	EH	551(a)	39	$Sr(NO_3)_2$
Sr 88	82.6	99.63	FL	682(a)	13,480	$SrCO_3$
Sulfur						
S 32	94.89	97.90	CX	391(a)	215	S
S 32	94.89	98.45	ES	596(a)	7,463	CdS
S 32	94.89	**	GB	757(a)		
S 33	0.80	5.54	CX	392(a)	25	S
S 33	0.80	9.8	ES	597(a)	0	
S 33	0.80	**	GB	758(a)		
S 34	4.29	20.65	CX	393(a)	0	
S 34	4.29	5.38	CX	393(b)	59	S
S 34	4.29	14.92	ES	598(a)	1,099	CdS
S 34	4.29	**	GB	759(a)		
S 36	0.02	0.88	ES	599(a)	24	CdS
S 36	0.02	**	GB	760(a)		

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tellurium						
Te 120	0.094	22.3	DX	505(a)	0	
Te 120	0.094	19.90	FE	640(a)	12	Te
Te 122	2.46	77.8	AU	154(a)	19	Te
Te 122	2.46	86.24	DX	506(a)	140	Te
Te 122	2.46	81.72	FE	641(a)	240	Te
Te 123	0.86	34.9	AU	155(a)	7	Te
Te 123	0.86	60.91	DX	507(a)	67	Te
Te 123	0.86	48.58	FE	642(a)	114	Te
Te 124	4.67	72.5	AU	156(a)	56	Te
Te 124	4.67	83.9	CA	295(a)	198	Te
Te 124	4.67	21.8	CA	295(b)	225	Te
Te 124	4.67	76.47	DX	508(a)	555	Te
Te 124	4.67	81.34	FE	643(a)	650	Te
Te 125	6.97	81.1	AU	157(a)	38	Te
Te 125	6.97	87.9	CA	296(ar)	2,130	Te
Te 125	6.97	40.5	CA	296(b)	264	Te
Te 125	6.97	80.53	FE	644(a)	1,262	Te
Te 126	18.69	93.2	AU	158(a)	1,496	Te
Te 126	18.69	95.4	CA	297(a)	1,547	Te
Te 126	18.69	95.4	CA	297(ar)	943	Te
Te 126	18.69	79.0	CA	297(b)	914	Te
Te 126	18.69	89.68	DX	510(b)	4,411	Te
Te 126	18.69	93.46	FE	645(a)	3,261	Te

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tellurium (Cont'd)						
Te 128	31.81	93.5	AU	159(a)	1,156	Te
Te 128	31.81	94.4	CA	298(a)	8,795	Te
Te 128	31.81	94.4	CA	298(ar)	714	Te
Te 128	31.81	91.8	CA	298(b)	1,594	Te
Te 128	31.81	94.0	CA	298(c)	111	Te
Te 128	31.81	82.32	DX	511(a)	5,760	Te
Te 128	31.81	96.47	FE	646(a)	4,881	Te
Te 130	34.44	93.0	AU	160(a)	630	Te
Te 130	34.44	97.4	CA	299(a)	7,905	Te
Te 130	34.44	93.5	CA	299(br)	950	Te
Te 130	34.44	78.23	DX	512(a)	4,936	Te
Te 130	34.44	97.78	FE	647(a)	4,412	Te
Thallium						
Tl 203	29.51	75.6	BV-3	278(a)	119	Tl_2O_3
Tl 203	29.51	47.9	BY-3	286(a)	4,838	Tl_2O_3
Tl 203	29.51	58.8	CC-3	307(a)	404	Tl_2O_3
Tl 203	29.51	86.0	CF-3	322(a)	416	Tl_2O_3
Tl 203	29.51	34.1	CG-3	324(a)	83	Tl_2O_3
Tl 205	70.49	89.5	BR-3	267(a)	1,261	Tl_2O_3
Tl 205	70.49	95.2	BV-3	279(a)	919	Tl_2O_3
Tl 205	70.49	98.7	BX	285(a)	229	Tl_2O_3
Tl 205	70.49	86.1	CC-3	308(a)	444	Tl_2O_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Thallium (Cont'd)						
Tl 205	70.49	95.6	CF-3	323(a)	107	Tl_2O_3
Tl 205	70.49	91.8	CH-3	327(a)	1,615	Tl_2O_3
Tl 205	70.49	90.5	CJ-3	333(a)	1,715	Tl_2O_3
Tin						
Sn 112	1.00	72.49	EC	527(au)	84	Sn
Sn 112	1.00	58.88	FS	710(a)	187	SnO_2
Sn 114	0.68	50.03	EC	528(a)	138	SnO_2
Sn 114	0.68	45.10	FS	711(a)	82	SnO_2
Sn 115	0.44	4.5	BI	229(a)	28	SnO_2
Sn 115	0.44	14.0	EC	529(a)	535	SnO_2
Sn 115	0.44	17.64	FS	712(a)	63	SnO_2
Sn 115	0.44	**	FS	712(b)		
Sn 116	14.40	74.5	AY	176(a)	116	SnO_2
Sn 116	14.40	58.4	BC	198(a)	388	SnO_2
Sn 116	14.40	43.2	BI	230(a)	304	SnO_2
Sn 116	14.40	89.57	CR	363(a)	4,144	SnO_2
Sn 116	14.40	92.64	EC	530(a)	7,284	SnO_2
Sn 116	14.40	90.89	FS	713(a)	4,425	SnO_2
Sn 116	14.40	**	FS	713(b)		
Sn 117	7.68	75.3	BI	231(b)	288	SnO_2
Sn 117	7.68	73.93	CR	364(a)	4,748	SnO_2
Sn 117	7.68	77.07	EC	531(a)	4,482	SnO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 117	7.68	61.83	FS	714(a)	2,607	SnO_2
Sn 117	7.68	**	FS	714(b)		
Sn 118	24.07	69.3	AL	117(a)	918	SnO_2
Sn 118	24.07	90.1	AY	178(a)	1,014	SnO_2
Sn 118	24.07	91.8	BC	200(a)	63	SnO_2
Sn 118	24.07	84.6	BI	232(a)	1,020	SnO_2
Sn 118	24.07	93.26	CR	365(a)	8,510	SnO_2
Sn 118	24.07	94.91	EC	532(a)	13,126	SnO_2
Sn 118	24.07	95.86	FS	715(a)	11,804	SnO_2
Sn 118	24.07	*	FS	715(b)	4,970	SnO_2
Sn 119	8.63	77.1	AY	179(a)	93	SnO_2
Sn 119	8.63	64.4	BC	201(a)	382	SnO_2
Sn 119	8.63	78.5	BI	233(a)	166	SnO_2
Sn 119	8.63	78.25	CR	366(a)	5,024	SnO_2
Sn 119	8.63	79.82	EC	533(a)	18,057	SnO_2
Sn 119	8.63	*	FS	716(a)	4,400	SnO_2
Sn 119	8.63	*	FS	716(b)	1,730	SnO_2
Sn 120	32.53	93.5	AL	119(a)	420	SnO_2
Sn 120	32.53	95.4	AY	180(a)	1,588	SnO_2
Sn 120	32.53	72.6	BC	202(a)	3,155	SnO_2
Sn 120	32.53	53.6	BI	234(a)	1,760	SnO_2
Sn 120	32.53	97.01	CR	367(a)	18,120	SnO_2
Sn 120	32.53	98.14	EC	534(a)	17,976	SnO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 117	7.68	61.83	FS	714(a)	2,607	SnO_2
Sn 117	7.68	**	FS	714(b)		
Sn 118	24.07	69.3	AL	117(a)	918	SnO_2
Sn 118	24.07	90.1	AY	178(a)	1,014	SnO_2
Sn 118	24.07	91.8	BC	200(a)	63	SnO_2
Sn 118	24.07	84.6	BI	232(a)	1,020	SnO_2
Sn 118	24.07	93.26	CR	365(a)	8,510	SnO_2
Sn 118	24.07	94.91	EC	532(a)	13,126	SnO_2
Sn 118	24.07	95.86	FS	715(a)	11,804	SnO_2
Sn 118	24.07	*	FS	715(b)	4,970	SnO_2
Sn 119	8.63	77.1	AY	179(a)	93	SnO_2
Sn 119	8.63	64.4	BC	201(a)	382	SnO_2
Sn 119	8.63	78.5	BI	233(a)	166	SnO_2
Sn 119	8.63	78.25	CR	366(a)	5,024	SnO_2
Sn 119	8.63	79.82	EC	533(a)	18,057	SnO_2
Sn 119	8.63	*	FS	716(a)	4,400	SnO_2
Sn 119	8.63	*	FS	716(b)	1,730	SnO_2
Sn 120	32.53	93.5	AL	119(a)	420	SnO_2
Sn 120	32.53	95.4	AY	180(a)	1,588	SnO_2
Sn 120	32.53	72.6	BC	202(a)	3,155	SnO_2
Sn 120	32.53	53.6	BI	234(a)	1,769	SnO_2
Sn 120	32.53	97.01	CR	367(a)	18,120	SnO_2
Sn 120	32.53	98.14	EC	534(a)	17,976	SnO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tin (Cont'd)						
Sn 120	32.53	98.21	FS	717(a)	16,592	SnO_2
Sn 120	32.53	**	FS	717(b)		
Sn 122	4.68	45.8	BI	235(a)	13	SnO_2
Sn 122	4.68	83.66	CR	368(a)	2,545	SnO_2
Sn 122	4.68	88.92	EC	535(a)	2,235	SnO_2
Sn 122	4.68	88.92	EC	535(au)	241	Sn
Sn 122	4.68	84.62	FS	718(a)	497	SnO_2
Sn 122	4.68	*	FS	718(b)	955	SnO_2
Sn 124	5.89	71.0	BI	236(ar)	125	SnO_2
Sn 124	5.89	83.1	CR	369(au)	49	Sn
Sn 124	5.89	95.04	EC	536(a)	40	SnO_2
Sn 124	5.89	95.04	EC	536(as)	1,459	Sn
Sn 124	5.89	90.26	FS	719(a)	526	SnO_2
Sn 124	5.89	**	FS	719(b)		
Titanium						
Ti 46	7.97	84.26	BF	215(ar)	83	TiO_2
Ti 46	7.97	82.68	EN	576(a)	309	TiO_2
Ti 46	7.97	**	GA	752(a)		
Ti 47	7.41	82.05	BF	216(a)	28	TiO_2
Ti 47	7.41	82.05	BF	216(ar)	99	TiO_2
Ti 47	7.41	63.11	EN	577(a)	444	TiO_2
Ti 47	7.41	**	GA	753(a)		

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Titanium (Cont'd)						
Ti 48	73.50	99.23	BF	217(a)	50	TiO_2
Ti 48	73.50	98.90	EN	578(a)	14,906	TiO_2
Ti 48	73.50	**	GA	754(a)		
Ti 49	5.64	77.62	BF	218(a)	37	TiO_2
Ti 49	5.64	77.62	BF	218(ar)	45	TiO_2
Ti 49	5.64	**	GA	755(a)		
Ti 50	5.48	84.69	BF	219(a)	0	
Ti 50	5.48	81.44	EN	580(a)	139	TiO_2
Ti 50	5.48	**	GA	756(a)		
Tungsten						
W 180	0.16	9.00	BG	220(a)	0	
W 180	0.16	4.95	CL	340(a)	41	WO_3
W 180	0.16	4.95	CL	340(ar)	54	WO_3
W 180	0.16	6.95	EL	561(a)	175	WO_3
W 182	26.21	94.25	BG	221(a)	46	WO_3
W 182	26.21	91.58	CL	341(a)	1,639	WO_3
W 182	26.21	92.33	EL	562(a)	10,990	WO_3
W 183	14.33	86.21	BG	222(a)	217	WO_3
W 183	14.33	82.01	CL	342(a)	745	WO_3
W 183	14.33	82.63	EL	563(a)	5,664	WO_3
W 184	30.61	95.72	BG	223(a)	390	WO_3
W 184	30.61	91.14	CL	343(a)	106	WO_3

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Tungsten (Cont'd)						
W 184	30.61	91.14	CL	343(ar)	2,579	WO_3
W 184	30.61	95.06	EL	564(a)	10,974	WO_3
W 186	28.69	97.94	BG	224(a)	92	WO_3
W 186	28.69	97.17	CL	344(a)	616	WO_3
W 186	28.69	97.17	CL	344(ar)	372	WO_3
W 186	28.69	97.54	EL	565(a)	10,367	WO_3
Vanadium						
V 50	0.28	22.83	FM	683(b)	36	V_2O_5
V 51	99.72	>99.95	FB	633(a)	2,516	V_2O_5
V 51	99.72	>99.98	FM	684(a)	26,265	V_2O_5
Zinc						
Zn 64	49.18	83.8	AG	97(a)	394	ZnO
Zn 64	49.18	93.12	EK	556(a)	7,472	ZnO
Zn 66	27.76	78.4	AH	100(a)	712	ZnO
Zn 66	27.76	93.79	EK	557(a)	7,700	ZnO
Zn 67	4.05	56.0	BK	242(a)	102	ZnO
Zn 67	4.05	60.46	EK	558(a)	946	ZnO
Zn 68	18.40	95.47	EK	559(a)	6,287	ZnO
Zn 70	0.61	32.9	AH	102(a)	20	ZnO
Zn 70	0.61	32.0	BK	244(a)	39	ZnO
Zn 70	0.61	48.40	EK	560(a)	151	ZnO

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Zirconium						
Zr 90	50.83	91.7	AA	80(a)	18	ZrO_2
Zr 90	50.83	91.7	AA	80(ar)	460	ZrO_2
Zr 90	50.83	98.0	CK	334(a)	7,045	ZrO_2
Zr 90	50.83	98.0	CK	334(ar)	1,878	ZrO_2
Zr 90	50.83	95.6	CV	381(a)	3,612	ZrO_2
Zr 90	50.83	98.66	EE	539(a)	11,815	ZrO_2
Zr 91	11.21	54.4	AA	81(a)	50	ZrO_2
Zr 91	11.21	54.4	AA	81(ar)	100	ZrO_2
Zr 91	11.21	86.6	CK	335(a)	33	ZrO_2
Zr 91	11.21	86.6	CK	335(ar)	1,837	ZrO_2
Zr 91	11.21	75.1	CV	382(a)	839	ZrO_2
Zr 92	17.18	92.7	CK	336(a)	381	ZrO_2
Zr 92	17.18	92.7	CK	336(ar)	2,149	ZrO_2
Zr 92	17.18	89.8	CV	383(a)	96	ZrO_2
Zr 92	17.18	95.38	EE	541(a)	5,461	ZrO_2
Zr 94	17.79	82.1	AA	83(a)	94	ZrO_2
Zr 94	17.79	82.1	AA	83(ar)	40	ZrO_2
Zr 94	17.79	92.8	CK	337(a)	68	ZrO_2
Zr 94	17.79	92.8	CK	337(ar)	1,786	ZrO_2
Zr 94	17.79	80.9	CV	384(a)	861	ZrO_2
Zr 94	17.79	80.9	CV	384(ar)	188	ZrO_2
Zr 94	17.79	97.92	EE	542(a)	5,168	ZrO_2
Zr 96	2.99	74.6	CK	338(a)	27	ZrO_2

* - Analysis Incomplete
** - Refinement Incomplete

ELECTROMAGNETICALLY CONCENTRATED ISOTOPES

Element and Isotope	ISOTOPIC ABUNDANCE (atom percent) Natural	Enriched	Series	Sample	AVAILABLE FOR SHIPMENT Element Weight (milligrams)	Product Form
Zirconium						
Zr 96	2.99	74.6	CK	388(ar)	0	
Zr 96	2.99	89.48	EE	543(a)	0	

* - Analysis Incomplete
** - Refinement Incomplete