

“Green” Biopolymer Coatings for Improved Decontamination of Metals from Surfaces*

Brian H. Davison¹, Catherine K. McKeown², Tanya Kuritz¹, John W. Barton¹

¹Chemical Technology Division
Oak Ridge National Laboratory
PO Box 2008
Oak Ridge, Tennessee 37831-6226

²University of Tennessee-Knoxville

for platform presentation at the 13th Annual Technical Information Exchange Conference
Albuquerque, New Mexico
November 13 - 15, 2001

The submitted manuscript has been authored by a contractor of the U.S. Government under contract DE-AC05-00OR22725. Accordingly, the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U.S. Government purposes.

*This work was supported by the Office of Environmental Restoration and Waste Management (EM), U.S. Department of Energy at Oak Ridge National Laboratory, managed by UT-Battelle, LLC, for the U.S. Department of Energy under contract DE-AC05-00OR22725.

“Green” Biopolymer Coatings for Improved Decontamination of Metals from Surfaces

Brian H. Davison¹, Catherine K. McKeown², Tanya Kuritz¹, John W. Barton¹

¹Chemical Technology Division
Oak Ridge National Laboratory
PO Box 2008
Oak Ridge, Tennessee 37831-6226

²University of Tennessee-Knoxville

Biopolymers are nonliving polysaccharide-based macromolecules, which are generated by microorganisms; they are nonhazardous, degradable, and incinerable natural polymers. These biopolymers increase the viscosity of aqueous solutions, allowing them to coat metal surfaces and interact with the surface to provide chemical interactions with increased contact time in place for solubilization and sorption. In this work, aqueous biopolymer solutions were used to coat contaminated steel surfaces to (1) solubilize the heavy metals (uranium) from the surface, (2) bind the heavy metals into the biopolymer, and (3) allow removal, by peeling, of the biopolymer-radionuclide complex. We have measured the metal sorption isotherms/capacities for different algal biopolymer fractions and have a preliminary biopolymer system which can remove 80% of the uranium (VI) from contaminated coupons (the biopolymer coating is removed as a dry, low-volume film or flakes with significantly less secondary waste in our initial system). Results will also be presented from experiments in which metal-chelating biopolymers are added to a commercially available strippable coating. It may be possible to improve upon existing strip-coat technologies, which rely strictly on physical sorption for metals removal, by incorporating a chemisorptive biopolymer component. Strippable coatings without enhancement have been used to successfully remove between 60 and 85% of metal surface contamination.

“Green” Biopolymer Coatings for Improved Decontamination of Metals from Surfaces*

Brian H. Davison¹, Catherine K. McKeown², Tanya Kuritz¹, John W. Barton¹

¹Chemical Technology Division
Oak Ridge National Laboratory
PO Box 2008
Oak Ridge, Tennessee 37831-6226

²University of Tennessee-Knoxville

for platform presentation at the 13th Annual Technical Information Exchange Conference
Albuquerque, New Mexico
November 13 - 15, 2001

The submitted manuscript has been authored by a contractor of the U.S. Government under contract DE-AC05-00OR22725. Accordingly, the U.S. Government retains a nonexclusive, royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for U.S. Government purposes.

*This work was supported by the Office of Environmental Restoration and Waste Management (EM), U.S. Department of Energy at Oak Ridge National Laboratory, managed by UT-Battelle, LLC, for the U.S. Department of Energy under contract DE-AC05-00OR22725.

“Green” Biopolymer Coatings for Improved Decontamination of Metals from Surfaces

Brian H. Davison¹, Catherine K. McKeown², Tanya Kuritz¹, John W. Barton¹

¹Chemical Technology Division
Oak Ridge National Laboratory
PO Box 2008
Oak Ridge, Tennessee 37831-6226

²University of Tennessee-Knoxville

Biopolymers are nonliving polysaccharide-based macromolecules, which are generated by microorganisms; they are nonhazardous, degradable, and incinerable natural polymers. These biopolymers increase the viscosity of aqueous solutions, allowing them to coat metal surfaces and interact with the surface to provide chemical interactions with increased contact time in place for solubilization and sorption. In this work, aqueous biopolymer solutions were used to coat contaminated steel surfaces to (1) solubilize the heavy metals (uranium) from the surface, (2) bind the heavy metals into the biopolymer, and (3) allow removal, by peeling, of the biopolymer-radionuclide complex. We have measured the metal sorption isotherms/capacities for different algal biopolymer fractions and have a preliminary biopolymer system which can remove 80% of the uranium (VI) from contaminated coupons (the biopolymer coating is removed as a dry, low-volume film or flakes with significantly less secondary waste in our initial system). Results will also be presented from experiments in which metal-chelating biopolymers are added to a commercially available strippable coating. It may be possible to improve upon existing strip-coat technologies, which rely strictly on physical sorption for metals removal, by incorporating a chemisorptive biopolymer component. Strippable coatings without enhancement have been used to successfully remove between 60 and 85% of metal surface contamination.